

work code = 005-19000005
No. B Est cost = 75.00 lakhs.
H/A = P2583

No. E

Est cost = 75.00 lacs.

#14 = p2583

494912

Name of Work Construction of From Shriya Building at To 104012
Name of Contractor of nature of Agency Defence layout in ward NO 05 Byatarayanapura
Date of commencement of work Sub Division

Contents	Reference to last Measurement
7	8
2. 18,69,754 - w	✓
T- 18698 - w	✓
u. 18698 - w	✓
S.F. 1870 - w	✓
R- 20567 - w	✓
ST- 16694 - w	✓
ST- 16694 - w	✓
~~24,525 - w~~	~~93221 -~~
17,76,533 - w	✓

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	<u>Contractor Name:</u>	Executive Engineer,	KRIID Ltd				
		#280, 59 th Cross Road,	17 th C Main Road				
		3 rd Y Block	Rajasimager, Bangalore-10.				
①	Earthwork in Surface Excavation in ordinary soil for levelling & lowering the ground manually & removing the excavated stuff to a distance not exceeding 50m & lift - upto 1.5m excavated surface levelled & neatly dressed disposed earth to be levelled after breaking clods & neatly dressed etc complete.						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Qty is as per premeasurement of 11.5 m B page no 494985 = $54.00 m^2$ Rate $169.56/m^2$ $= 9156.24$						
	② Earthwork Excavation for foundation of buildings either in pits or in trenches 1.5m & above in width in ordinary soil not exceeding 1.5m in depth including dressing the bottom & sides of pits & trenches Stalling the excavated soil Clear from edges of Excavation with less upto 50m after breaking of clods etc. complete. Qty is as per premeasurement of 11.5 m B page no 494985 Rate $204.12/m^2$ $= 273.59 m^2$ M = 55845.19						

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Nur
	③ providing & fixing metal 100mm & - ng hand packing all materials & complete. Qty is as per p ④ Providing & laying 40mm & down 50	

BOOK

Depth	Contents	Reference to last Measurement
6	7	8

ment of L.L. MB
 494985 = 54.00 m^3
 = 9156.24
 foundation of buildings
 has 1.5m & above in
 & exceeding 1.5m in
 the bottom & sides of
 the excavated soil
 excavation with load
 of 4 clods etc.
 L.L. MB page no 494985
 = 273.59 m^3
 M = 55845.19

M. A. R. 57 (Rule 116)
 Measurement Book

No. B

Serial No.

Name of Work From To **494913**

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	③ providing & fixing in foundation with granite broken metal 100mm & down size with approved sand including hand packing ramming watering including cost of all materials & labour with all lead & lift etc. estimate. Qty is as per premeasurement of L.L. MB page no 494986 = 23.79 m^3 M = 54315.42						
	④ providing & laying in position p.c.c of mix m 7.5 with 40mm & down size graded granite metal coarse						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	aggregate + fine aggregate MLC mixed concrete laid in layers not exceeding 15cm thick well compacted in foundation + plinth including cost of all materials labour curing etc complete.						
	Qty is as per premeasurement of 12m x 12m x 1.5m Rate 5256.36/m ³					page no 494986-494988 = 172.01 m ³ = 904146.48	
	(5) providing & constructing granite rubble stone masonry in foundation with mud mortar 1:8 Stone hammered dressed in courses not						

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
	less than 20cm each course inc etc complete. Qty is as per p Rate. 4359
	(6) providing & con mud mortar not less than 15cm each course labour curing

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494914

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Contents	Reference to last Measurement
7	8
mixed concrete scaffolding wall plinth including curbing etc.	
st 112 MB 944986-494988 = 172.01 m ³ = 904146.48	
ite rubble stone mud mortar 1:8 courses not	

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	less than 20cm High bond stone at two m apart in each course including cost of materials labour curbing etc complete. Qty is as per premeasurement of 112 MB for no 494988 = 31.08 m ³ = 135507.55						
	note. 4359.96/m ³						
	⑥ providing & constructing granite basalt 15m with mud mortar edges of stone chisel dressed in course not less than 15cm High bond stones at two m apart in each course including cost of all materials labour curbing etc complete.						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Qty is as per premeasurement of Lx MB Rate 5405.40/m ³					page no 494989 = 17.10 m ³ = Rs. 92432.34	
	⑦ Filling available excavated earth in sides of foundation upto plank in bays not exceeding each deposited bays by ramming after watching with lead up to 50m & Lx up to 1.5m including cost of all labour etc complete Qty is as per Qty vide dtan no 2 = 273.29 m ³ @ Rate 137.16/m ³					N = 37498.17	

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2
	⑧ providing & lay with 20mm & aggregates & fi 15cm thick vi & ground floor retaining wa labour and Footings pedestals

BOOK

Dimensions		Contents 7	Reference to last Measurement 8
Breadth 5	Depth 6		

Measurement of 1st MB			
e on 494989 = $17.10 \frac{m^3}{m}$			
= No. 92432.34			
ted earth in sides &			
in layers not exceeding			
by ramming after			
to 50m & 1st up to			
all labour etc complete			
d tan no 2 = $273.29 \frac{m^3}{m}$			
N = 37498.17			

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494915

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	⑧ providing & laying in position Reinforced C.C of six nos with 20mm & down size graded granite metal coarse aggregates & fine aggregate mix exceeding 15cm thick vibrates for all works in foundation plinth & ground floor level for roof slabs staircase lintels retaining walls masonry work & all masonry labour curing etc complete.						
	Footings	19	2.40	2.40	0.45	= 82.08	
	pedastals	19	0.90	0.90	0.60	= 9.23	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
~~26/12/18~~	Column upto plinth	19	0.23	0.45	1.50	= 2.94	
	plinth Beam	2	18.35	0.23	0.45	= 3.79	
		5	7.45	0.23	0.45	= 3.85	
	C10	1	5.65	0.23	0.45	= 0.58	
	TW	2	1.90	0.23	0.45	= 0.39	
	Column	19	0.23	0.45	3.10	= 6.09	
	Chassa W	9	1.20	0.45	0.10	= 0.48	
	W1	2	0.60	0.45	0.10	= 0.05	
	Roof slab	1	18.35	7.45	0.15	= 20.50	
	front projection	1	3.10	0.90	0.15	= 0.40	
		1	2.50	0.75	0.15	= 0.22	
	Slab Beam	3	18.35	0.23	0.60	= 7.59	
		5	7.45	0.23	0.60	= 5.14	

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
	Stair case landing Beam
	Lintel Beam
	Sump Tank wall
	Sump floor
	Sump cover slab
	Stair case waist slab landing

BOOK

Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
4.5	1.50	= 2.94	✓
2.3	0.45	= 3.79	✓
2.3	0.45	= 3.85	✓
2.3	0.45	= 0.58	✓
2.3	0.45	= 0.39	✓
4.5	3.10	= 6.09	✓
4.5	0.10	= 0.48	✓
4.5	0.10	= 0.05	✓
4.5	0.15	= 20.50	✓
0.90	0.15	= 0.40	✓
7.5	0.15	= 0.22	✓
2.3	0.60	= 7.59	✓
0.23	0.60	= 5.14	✓

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No.
 Name of Work From To **494916**
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Stair case landing	2	2.50	0.23	0.45	= 0.51	✓
	Beam	2	18.35	0.23	0.23	= 1.94	✓
	Lintel Beam	2	7.45	0.23	0.23	= 0.78	✓
	Sump Tank wall	2	3.55	0.23	2.10	= 3.44	✓
		2	2.45	0.23	2.10	= 2.36	✓
	Sump floor	1	3.55	2.45	0.15	= 1.30	✓
	Sump cover slab	1	3.55	2.45	0.15	= 1.30	✓
	Stair case wall	1	2.50	1.50	0.15	= 0.37	✓
	slab landing	1	2.90	1.50	0.15	= 0.43	✓

c g f c
 25/12/2018

1/12/2018

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Steep water proofing	22x0.5	x 1.0	x 0.23	x 0.15 = 0.37		
		1	18.35	7.45	0.075 = 10.25		
		1	3.00	0.90	0.075 = 0.20		
		1	2.00	0.75	0.075 = 0.11		
						166.69 m ³	
	Deduct column	19	0.23	0.45	0.75 = 1.47		
		19	0.23	0.45	0.60 = 1.17		
	Sup opening	1	0.60	0.60	0.15 = 0.05		
						2.69	
						164.00	
	Rate 6491.88/m ³				Limited to	162.31 m ³	

Qty = 1053956.71

Serial No.
Name of Work
Name of Contractor of nature of Age
Date of commencement of work

Date 1	Full description, etc, of work 2
	⑨ providing T mending stri m position with binding members Qty is as per @ Rate 650

OK

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494917

	Contents	Reference to last Measurement
Depth 6	7	8
-2.3 x 0.15 = 0.37 ✓		
0.075 = 10.4 ✓		
0.075 = 0.20 ✓		
0.075 = 0.11 ✓		
	<u>166.69 m</u> ✓ ³	
0.75 → 1.47 ✓		
0.60 = 1.17 ✓		
0.15 = 0.05 ✓		
(→) <u>2.69</u> ✓		
	<u>164.00</u> ✓	
:ted to	<u>162.34 m</u> ✓ ³	

$$y = 1053956.71$$
[illegible]

Name of Contractor							
Date of commencement of work							
Date 1	Full description, etc., of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
9	providing T.M.T steel reinforcement for R.C.C. Work including straightening cutting bending hooking placing in position lapping & welding wherever requires tying with binding wire & anchoring to its adjoining members wherever necessary etc complete. Qty is as per premeasurement of I/R MB						
	@ Rate 6500/-/MTM					Page no 494989-494991	= 20.42 MTM
						N = 1336602.53	

~~W. H. H. H.~~

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	⑩ providing & removing centering shuttering strutting propping etc & removal of form work for foundation footing bases of column for mass concrete including cost of materials etc complete.						
	Footing side	19x2	2.40	—	0.75	= 68.40	
		19x2	2.40	—	0.75	= 68.40	
	pedastal	19x2	0.90	—	0.60	= 20.52	
		19x2	0.90	—	0.60	= 20.52	
						177.84m ²	
						167.58m ²	
						41807.85	
	⑪ providing & removing centering shuttering						

Rate 249.48/m²

Limited to

M. A. Me
Serial No.
Name of Work From
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	propping etc for edges including cost of all materials etc complete.	
	plinth Beam.	2
		5
	Rate 732.24/m ²	1
	⑫ providing & removing propping etc for column all materials etc complete.	

OK

Depth 6	Contents 7	Reference to last Measurement 8
------------	---------------	--

Shuttering strutting
work for foundation
concrete including

$$0.75 = 68.40$$

$$0.75 = 68.40$$

$$0.60 = 20.52$$

$$0.60 = 20.52$$

$$177.84$$

$$167.58$$

$$= 41807.85$$

ing Shuttering

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494918

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	propping etc for edges including cost of all materials etc complete plinth Beam.	2 5 1	18.35 7.45 5.65	— — —	0.45 0.45 0.45	16.51 16.76 2.54	
	Rate 732.24/m ²					35.81	
	(12) providing & removing centering propping etc for columns pillars all materials etc complete.					26221.27	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Columns up to plinth	19x2	0.23	—	1.50	= 13.11	
		19x2	0.45	—	1.50	= 25.65	
	Columns up to Beam	19x2	0.23	—	3.00	= 26.22	
	Bottom	19x2	0.45	—	3.00	= 51.30	
						<u>116.28 m²</u>	
						= 459.1315	
	⑬ providing & removing Centering shuttering strutting propping etc & removal of form work for sides beams horizontal Concliner girders not exceeding 1m in depth including cut & all materials etc complete						

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1 Full description, etc, of work 2

Lint the Beam side

Rate. 276.48/m²

⑭ providing & removing shuttering strutting propping etc for cast & all materials etc complete

Rate 291.60/m²

OOK

Depth	Contents	Reference to last Measurement
6	7	8
1.50	= 13.11	
1.50	= 25.65	
3.00	= 26.22	
3.00	= 51.30	
	<u>116.28 m²</u>	
	= 459.13.15	
oring shuttering strutting form work for sides or girders not ending with 7 all		

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494919

Serial No. From To
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Little Beam etc	2x2	18.35	—	0.23	= 16.81	
		5x2	7.45	—	0.23	= 17.13	
						<u>34.01</u>	
						<u>22.04 m²</u>	
						= 6093.61	
	① providing & removing centering shuttering strutting propping etc for Chaisais etc including edges including cost of all materials etc complete.	9	1.20	—	0.45	= 4.86	
	② Area 291.60 m ²	2	0.60	—	0.45	<u>0.54</u> <u>5.4 m²</u>	= 1574.64

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
①5	providing & constructing precast concrete solid blocks with compressive strength not less than 25 kg/cm ² with C.M 1:4 with solid concrete blocks of size 40x20x20 cms conforming to IS including cost of all materials e.g. complicate wall upto Beam Bottom	2	18.35	-	2.45	89.91	
		5	7.50	-	2.45	85.75	
		1	5.65	-	2.95	16.66	
		2	2.00	-	2.45	9.80	
	Precast wall	2	18.35	-	0.65	23.80	
		2	7.00	-	0.65	9.10	
						<u>235.02</u>	m ²

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	Deduct MD	1
	D	2
	D ₁	2
	W	9
	W ₁	2
	front opening	1
	side	1
	Precast opening	1

① Date 10/11/2016

BOOK

th	Depth	Contents	Reference to last Measurement
6	7	8	
		Concrete solid blocks not less than 35/kg/m ² concrete blocks of wing to is including complete	
		2.45 = 89.91	
		2.45 = 85.75	
		2.95 = 16.66	
		2.45 = 9.80	
		0.65 = 23.80	
		0.65 = 9.10	
		<u>235.02</u> m ²	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494920

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Deduct MD	1	1.80	—	2.45	= 4.41	
	D	2	1.10	—	2.10	= 4.62	
	D ₁	2	0.90	—	2.10	= 3.78	
	W	9	1.20	—	1.20	= 12.96	
	W ₁	2	0.60	—	0.60	= 0.72	
	front opening	1	1.50	—	2.00	= 3.00	
	Side	1	2.00	—	2.15	= 4.30	
		1	1.50	—	0.60	= 0.90	
	Parapet opening	1	1.75	—	0.65	= 1.13	
					(=) <u>35.82</u>		

① Date 10/11/2011

Total at 199.20 m² = 201582.43

OK

Depth 6	Contents 7	Reference to last Measurement 8
	Some wood fully with style & side in two halves including cost of 0 m of masonry	
-	4.32	
-	4.41	
	<u>8.73</u>	
	11 9.14	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494921

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
(16)	providing thru pointing to square rubble course or uncoursed Stone masonry with C.M 1:3 20mm deep after raveling joints to depth of 20mm nicely lining including cost of materials labour curing etc complete centerways	2	18.25	-	0.60	22.02	
		2	7.45	-	0.60	8.94	
						<u>30.96</u>	
				Limited to		<u>27.68</u>	
						= 4	2899.75

① Rate 104.76/m²

[Signature]

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	①7 providing & fixing in position Honne wood fully panelled shutters for windows with styles & rails of 30mm wide 25mm wide in two halves with panels of 20mm wide including cost of materials labour charges etc. complete MD 1 1.80 2.40 - 4.32 ✓ D₁ 2 1.05 2.10 - 4.41 ✓ $\frac{8.73}{2} = 4.365$ @ Rate 4575.96/m² $N = 39948.13$						
	①8 providing Honne wood frames of doors windows clear story windows ventilators & other frames						

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	Wrought- framed plaster grooves but etc. complete. MD 1x D₁ 2x @ Rate 111083.40/m² $N = 39948.13$	

BOOK

Width	Depth	Contents	Reference to last Measurement
	6	7	8

timber frame wood Kelly
windows with styles &
sills in two halves
including lost
etc. complete

40 - 4.32
10 - 4.41
8.73

$\times 2$
 $\times = 39948.13$

frames of doors windows
slaters & other frames

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494922

Serial No. From To
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Wrought-frames or assembled plaster grooves but including lost etc. complete.						
	M.D	1x5	2.40	0.15	0.13	= 0.23	
		1x3	2.10	0.15	0.13	= 0.12	
	D ₁	2x2	2.10	0.15	0.13	= 0.16	
	Rate 111083.40/m ³	2x2	1.35	0.15	0.13	= 0.11	
						<u>0.62</u>	
						= 68871.70	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	(19) SOLID PVC DOOR FRAME. providing & fixing factory made pvc door frame of size 50x47mm with a wall thickness of 5mm made out of extruded 5mm rigid pvc foam sheet metered cut at corners & jointed 2 nos of 150mm long brackets of 15x15mm M.S square tube of 19 gauge the door frame to be lined to the wall using M.S screws 765/80mm size etc. Complete. $\text{Per m} = 568.08 \text{ m}^2$	2	0.75	2.10		$3.15 \times 2 = 6.3$ $6.3 \times 279.45 = 1769.45$	

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
	(20) SOLID power pvc 30mm thick for door shutters made for 3x15 heat moulded pvc sheet & 30x50mm 75mm wide pvc rail & bottom rail wide cross pvc bottom rail panel - notes on eilbor

BOOK

ns	Contents	Reference to last Measurement
Breadth 5	Depth 6	7

10	—	3.15	3.15	1789.45
----	---	------	------	---------

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494923

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
(20)	Solid panel prelam pvc door shutter providing & fixing 30mm lica factory made rigid foam prelam panelled door shutters made from M.S tube of 19x19mm 19 gauge for style & 15x15mm for top & bottom rails covered with heat moulded prelaminated pvc 'c' channel of 5mm lica sheet & 30x80mm lica of form styles & 5mm lica & 75mm lica prelaminated pvc sheets for top rail code rail & bottom rail on either side & 5mm lica 20mm lica cross pvc sheet as gap insert for top rail & bottom rail panelling of 5mm lica pvc sheet prelam - fitted on either side fitted in MS frame. sealed to						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	style + with Lilt pvc design beading on either side & joined together with screw com- plete.						
	② Rate 4368.60/m² ②1 providing 12mm thick cement plaster 121 single coat with C.M 1:3 to ceiling including rounding off corners wherever requires smooth rendering providing & removing scaffolding including cost of materials etc complete.	D ₂ 2	0.75	2.10	-	3.15 m ² = 13761.09	
		1	7.10	0.65	-	47.21	

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
	[Kitchen Toilet Varanda] ② Rate 208.44/m²

BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8

2-10	-	3.15 m ² = 13761.09	
6.65	-	47.21	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494924

Serial No. From To
Name of Work
Name of Contractor or nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	[Kitchen	1	4.50	3.50	-	15.75	
		1	6.65	3.60	-	23.94	
		1	3.50	2.15	-	7.52	
	Doiler	2	2.50	1.90	-	9.50	
	Varadu	1	2.05	1.90	-	3.89	
		1	2.35	1.50	-	3.52	
						111.33 m ²	
						110.47 m ²	
						= 22997.18	

[Handwritten signature]

② Rate 208.44/m²

Limited to

23026

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
②②	providing 18mm thick Cement plaster in single coat with 1:1:3 to brick masonry including rounding off corners wherever required smooth rendering providing & removing scaffolding including cost of materials labour lining etc complete.						
	En side	2x2	7.10	—	3.00	85.20	
		2x2	6.65	—	3.00	79.80	
		1	5.65	—	3.00	16.95	
	Toilet	2x2	7.9	—	3.00	94.8	
	Veranda	1	5.85	—	3.00	17.55	
						294.43	

M. A.
Me

Serial No.
Name of Work From
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	Deduct for window	W 9
		V 2
		MD 1
		D ₁ 2x2
		D ₂ 2x2
	Total 263.54 m ²	

BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8
ment planter in single			
masonry including			
over requires smooth			
removing scaffolding			
and labor lining			
—	3.00	85.20	
—	2.00	79.80	
—	3.00	16.95	
—	3.00	94.8	
—	3.00	17.55	
		294.43	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494925

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Deduct for window	W 9	1.20	1.20	—	12.96	
		V 2	0.60	0.60	—	0.72	
		MD 1	1.80	2.40	—	4.32	
		D ₁ 2x2	1.05	2.10	—	8.82	
		D ₂ 2x2	0.75	2.10	—	6.3	
						1- 33.12	
						261.31 m ²	
						Limited to = 241.92 m ²	
						N = 63750.75	

Rate 263.52/m²

Qty = 261.31 m²
Limited to = 241.92 m²
N = 63750.75

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	(23) providing 11mm thick cement plaster in single coat with c.m 1:4 to stone masonry including rounding of corners wherever required smooth rendering providing & removing scaffolding including cost of all materials labour curing etc complete.						
	Outside	2	18.35	—	3.65	= 133.91	
		2	7.65	—	3.65	= 54.38	
	parapet in side	2	18.35	—	0.65	= 23.85	
		2	7.45	—	0.65	= 9.62	
						<u>221.86</u>	
	Deduct	W 9	1.20	—	1.20	= 12.96	
		V 2	0.65	—	0.65	= 0.84	

[Handwritten signature/initials]

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	MD opening ③ Rate 238.68/m ²	
	(24) Extra for providing 11mm cement plaster recommended by 11mm including cost of labour curing etc complete.	
	Qty is as	
	③ Rate 7.58/m ²	

IT BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8
ant plaster in single			
ne masonry including			
however requires			
f + remaining			
ost of all materials			
omplete.			
-	3.65	= 133.91	
-	3.65	54.38	
-	0.65	23.81	
-	0.65	9.62	
		<u>221.86</u>	
-	1.20	= 12.96	
-	0.65	= 0.84	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494926

Serial No. From To
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	MD	1	1.8	2.4	-	4.32	
	opening	1	2.15	1.50	-	3.22	
						(+) 21.34	
						= 200.52 m ²	
	② Rule 238.68/m ²						
	24 Extra for providing & mixing water proofing compound in cement plaster work at 1 kg per bag or m ² of proportion recommended by the manufacturers for C.M 1:3:12 mix. 11cc including cost of material etc complete.						
	Qty is as like item no 23					= 200.52 m ²	
	③ Rule 7.56/m ²					= 1515.93	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
(25)	providing lime rendering for plastering wall & ceiling lost of materials labour, curing etc complete.						
	Qty is as vide & tan no 21 + 22 = 110.47 + 241.92 = 352.39 m ²						
	Rate 213.84/m ²						
(26)	providing & applying painting in one coat with plastic emulsion paint of approved brand manufacturer on wall surface to give an even approved shade after thoroughly brushing the surface free from mortar drop & other foreign matter including preparing the surface						

M. A
M

Serial No.

Name of Work

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	free form mortar preparing the surface lost of materials & Qty is as vide ⑤ Rate 48.60/m ²	
②7	providing & finishing for flooring 11mm of 20mm 11mm white cement	

NT BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8

for plastering wall & labour, lining etc

$$\begin{aligned} \text{no 21} + 22 &= 110.47 + 241.92 \\ &= 352.39 \text{ m}^2 \\ &= 75355.07 \end{aligned}$$

ing in one coat with approved brand surface to give an even roughly brushing the tar drop & oiler preparing the surface

M. A. R. 57 (Rule 116) Measurement Book

No. B

494927

Serial No. From To
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	free from mortar drop & oiler foreign matter including preparing the surface even & sand paper smooth lost of material labour etc complete.						
	Qty ready & item no 25 =					352.39 m ²	
	Rate 48.60/m ²					= 17126.15	
(27)	providing & fixing Ceramic tiles of size 400x400mm for flooring thread steps & landing bed on a bed of 20mm thick C.M 1:3 mix flush pointing with white cement mixed with hauling colour pigment						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	including curing clearing etc complete. 1/2 work includes all materials labour etc complete.						
	Toilet Rate 1161.00/m ²	2	1.80	2.40	—	8.64m ² = 10031.04	
(28)	providing Skirting dado rises of steps with colour glazed tiles 6mm thick on 10mm thick cement plaster 1:3 & pointing with white cement slurry over rough plaster surface using glazed tiles of approved make & size & materials labour etc complete						

~~1/2~~

M. A

M

Serial No.

Name of Work

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	Toilet Deduct door ② Rate 1157.76/m² (29) providing + finishing cement point of d on even shade of surface to remove materials free from	2X 2X

ns		Contents	Reference to last Measurement
Leadth	Depth		
5	6	7	8

$40 - \frac{8.64 \text{ m}^2}{2} = 1003.04$

10 mm thick cement
white cement slurry
using glazed tiles
4 matching colour

No. B

494928

[illegible]

Date of commencement of work							
Date 1	Full description, etc., of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Toilet	2x2	2.40	—	2.10	= 20.16	
	Deduct door	2x2	1.80	—	2.10	= 15.12	
		2	0.75	—	2.10	= 3.15	
	② Rate 1157.76/m ²					<u>32.13</u> m ²	
						= 37198.82	
29	providing & finishing external walls water proof cement paint of approved brand & shade to given on every shade after thoroughly brooming the surface to remove all dirt & loose powdered materials free from mortar dropp & other foreign						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	matter last of material labor etc complete Qty is as like item no 23 = $200.52m^2$ ② Rate $90.72/m^2$ ③ providing & fixing special make glazed vitrified tiles of approved make. quality & colour of size $600 \times 600 \times 10mm$ like tiles on existing flooring with special water adhesive for flooring & skirting etc complete Flooring 1 7.10 6.65 — 47.21 Front 1 1.20 2.25 — 3.69 Skirting 4 6.65 — 0.15 3.99						

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
	② Rate $1285.20/m^2$ ③ Extra for over etc subsequent coat of shade after cleaning foreign matter & materials labour	

ns		Contents	Reference to last Measurement
Leadth	Depth		
5	6	7	8
		Water etc complete	
		m m 23 = 200.52 m ²	
		= 518191.17	
		males glazed vitrified	
		lity & colour of	
		on existing flooring	
		e for flooring &	
65	—	47.21	
as	—	3.69	
0.15		399	

No. B

494929

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
		4	7.10	—	0.15	4.26	
		2	2.05	—	0.15	0.61	
		2	1.80	—	0.15	0.54	
						<u>60.30</u>	
							<u>77497.56</u>
	③ Rate 1285.20/m ²						
31	Extra for over 15-17.6 for applying every subsequent coat of enamel paint to give an even shade after cleaning the surface of all dirt dust & foreign matter sand papering including cost of materials labour etc complete.						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	W V Rate 51.24/m² (32) providing a fixing m.s. gal work for windows & ventilators using m.s. flats or m.s. square rods or combination of m.s. flats & square rods welding the same to required pattern with a coat of red lead primer cost of materials fixtures etc complete.	9	1.20	1.20	—	12.96	32.4
		2	0.60	0.60	—	0.72	1.00
							34.20 m ²
							= 1772.92
	Window W 9 V 2 ceiling 1	9	1.20	1.20	—	12.96	
		2	0.60	0.60	—	0.72	
		1	3.82	0.90	—	34.38	
							48.06 m ²

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
	Rate 84.24/m² (33) providing a fixing ventilators as per shutter using of size 61.25 x 31 m.s. 0.695 kg/m shutter

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	40x18mm 1.25mm thick 0.417kg/m shutter interlaced Section 40mm x 26.7mm 1.1mm thick Lt 0.417kg/m Shutters mounted on nylon rollers with approved quality of fixtures such as aluminium handles tower bolt etc & providing & fixing 5.5mm thick plate glass for shutter fitted with rubber beading etc complete						
		W 9	1.20	1.20	-	12.96	
		V 2	0.60	0.60	-	0.72	
	⊙ Rate 4418.28/m ²					13.68m ²	
						24 60442.07	

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2
34	providing & fixing gang saw water c.m 1:3 proportion paper joints for colour pigment & jointing with in joint in varanaha wall side wall

T BOOK

Dimensions		Contents	Reference to last Measurement
Breadth 5	Depth 6		
1.20	—	12.96 32.4	8
0.60	—	1.00	
		<u>34.20 m²</u>	
		= 1772.92	
work for windows & doors on m.s square rods with square rods welding etc with a coat of materials tintures etc			
1.20	—	12.96	
0.60	—	0.72	
2	0.90	<u>34.38</u>	
		<u>48.06 m²</u>	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494930

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	③ Date 8.24/14			2/1 kg/m ²		21 x 48.06 = 1009.26 kg = 85020.06	
	33 providing & fixing in position aluminium windows & ventilators as per approved drawings with sliding shutters using double track windows frame section of size 61.25 x 31.75 mm with 1.2 mm liche bottom section with 0.695 kg/m sides & top section 1.3 mm liche with 0.695 kg/m & shutter comprising top & bottom section of						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	40x18mm 1.25mm Liche 0.417kg/m shutter interlatch Section 40mm x 26.7mm 1.1mm Liche 0.417kg/m Shutters mounted on nylon rollers with approved quality of fixtures such as aluminium handles tower bolt etc & providing & fixing 5.5mm liche pla glass for shutter latches with rubber bearings etc complete						
		W 9 v 2	1.20 0.60	1.20 6.60	- -	12.96 0.72 13.68m 24 60442.07	
	© Date 44/8.28/m ²						

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2
34	providing & fixing gang saw water c.m 1:3 proportion paper joints for colour pigment to jointing with se in joints including varanaha wall side wall

MENT BOOK

Dimensions			Contents	Reference to last Measurement
1	Breadth 5	Depth 6		
0.417	1.20	-	Shutter interlaced	
1.12	6.60	-	with 20mm thick	
			nylon rollers with	
			such as aluminium	
			+ providing + fixing	
			for shutter fittings with	
			complete	
			12.96	
			0.72	
			13.68m	
			24 60442.07	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494931

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number 3	Length 4	Breadth 5	Depth 6		
34	providing + fixing of wall cladding using 20mm thick gang saw water cut shiva gold granite grey granite in 1:3 proportion cut to selfies shape pattern with paper joints finished with con lining white corner + colour pigment to match the colour of slab making through jointing with sealant making holes 25x12mm grooves in joints including lining etc complete						
	varanasi wall	2	2.50	-	2.10	10.50	
	side wall	2	1.90	-	2.10	7.98	
		2	0.45	-	2.10	1.89	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Flooring front steps	1	2.50	1.80	-	4.50	
		3	3.00	0.30	=	2.70	
		3	3.50	-	0.30	= 2.70	
	Side	2	0.30	0.90	-	0.54	
		2	0.30	0.60	-	0.36	
		2	0.30	0.30	-	0.18	
	Staircase steps	21	1.05	0.23	-	5.07	
		21	1.05	-	0.15	3.30	
	Landing	= 1	3.00	1.05	-	3.45	
	Kitchen platform	1	3.65	0.60	-	2.19	
						45.06 m ³	
	Decorat D	2	0.90	-	2.10	3.78	
						41.28 m ³	

Serial No.
 Name of Work
 Name of Contractor of nature of Age
 Date of commencement of work

Date 1	Full description, etc, of work 2
	of Rate 3809.
	(35) providing fix Drawing using pipe frame 35x6mm, t 16 Spaced at MS flats for spikes are in drawing
	• Rate 3168.72

BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8
0.80	-	4.50	
0.30	=	2.70	
-	0.30	= 2.70	
0.90	-	0.54	
0.60	-	0.36	
0.30	-	0.18	
0.23	-	5.07	
-	0.15	3.30	
0.5	-	3.45	
0.60	-	2.19	
-	2.10	45.06 m ³	
		523.78	

41.28 m³

M. A. R. 57 (Rule 116) Measurement Book

No. B

494932

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Rate 3809.16/m ²					41.28 m ³	
③	providing fixing MS gate as per archt Drawing using 50mm x 50mm pipe frame work bent to ornamental shape 35x6mm & 16x16mm square rods for vlc alternately spaced at 4 cm/c in two levels & 40mm & 60mm MS flats for the members & at 15 for cast iron spikes are provided at alternative vlc members in drawing shown etc complete					= 157242.12	

Rate 3168.72/m² 1 2.10 2.40 - 4.8 m² = 15209.85

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
(36)	providing & laying C.C using 20mm & down size granite jelly of ready mixed concrete for R.C.C works laid in 15cm thick layers & well compacted vibrating during finishing curing finishing with necessary C.M form work & scaffolding to withstand pumping of concrete with all lead & lift etc. complete	1	15.50	$\frac{5.4+5.0}{2} \times 0.125 = 9.7$			
		1	15.00	$\frac{5+4.9}{2} \times 0.125 = 9.28$			
		1	15.00	$\frac{4.9+5.0}{2} \times 0.125 = 9.28$			
		1	15.50	$\frac{5+5.10}{2} \times 0.125 = 9.46$			
		1	3.50	$\frac{5.10}{2} \times 0.125 = 1.91$			
	For Road						

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
	Back Side Rs L3 Box Type Aanganwadi fund. B5 L5

T BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8
Using 20mm & down			
red mixed concrete			
11cm layers & well			
finishing curing finishing			
work & scaffolding			
concrete with ad			
ate			
$\frac{5.4+5.0}{2} \times 0.125 = 9.72$			
$\frac{5.7+4.9}{2} \times 0.125 = 9.28$			
$\frac{4.9+5.0}{2} \times 0.125 = 9.28$			
$\frac{5+5.10}{2} \times 0.125 = 9.46$			
$\frac{5.10}{2} \times 0.125 = 1.91$			

M. A. R. 57 (Rule 116) Measurement Book

No. B

494933

Serial No. From To
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Bank side	1	19.00	0.70	0.125	= 1.66	
	Rs	1	8.00	3.80	0.125	= 3.80	
	LS	1	6.00	7.50	0.125	= 5.62	
		1	6.00	5.20	0.125	= 3.9	
	Box Type	1	11.00	7.40	0.125	= 10.17	
		1	16.70	6.00	0.125	= 9.39	
	Angonwas' foul.	1	11.00	$\frac{2.4+2.70}{2}$	$\times 0.125 = 3.50$		
	BS	1	11.00	1.20	0.125	= 1.65	
		1	4.50	1.50	0.125	= 0.84	
	LS	1	7.00	1.50	0.125	= 1.31	
		1	6.50	8.25	0.125	= 6.70	
		1	3.80	3.00	0.125	= 1.42	
						<u>89.64 m³</u>	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	① Date 6231.74/11 57 Vacuum De-watering with Vacuum pump & Suction mat & Compaction with skin & later Clubbed with floating disc including cost of generator Hom of machinery Served Vibratory etc Complete.					89.64m³ = 1558613.17	
		1	15.00	5.40	5.0	78.00	
		1	15.00	5.0	4.9	74.25	
		1	15.00	4.9	5.00	74.25	
		1	15.00	5.0	5.10	75.75	
		1	3.50	5.10		15.30	

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc., of work
1	2
	 Per 9.5.40/mr 2

NT BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8

		<u>89.64m³</u> = 4558613.17	
With Vacuum pump &			
With steam & later clubbed			
ing lost of generator			
forced Vibratory etc			
$\frac{5.40+5.0}{2} = 78.00$			
$\frac{5.0+4.9}{2} = 74.25$			
$\frac{4.9+5.0}{2} = 74.25$			
$\frac{5.0+5.10}{2} = 75.75$			
$\times 5.10 = 15.30$			

M. A. R. 57 (Rule 116) Measurement Book

No. B

494934

Serial No.
Name of Work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	19.00	0.70	—	13.30	
		1	8.00	3.80	—	30.40	
		1	6.00	7.50	—	45.00	
		1	6.00	5.20	—	31.20	
		1	11.00	7.40	—	81.40	
		1	16.70	4.50	—	75.15	
		1	11.00	$\frac{2.40+2.70}{2}$	—	28.05	
		1	11.00	1.20	—	13.20	
		1	4.50	1.50	—	6.30	
		1	7.50	1.50	—	10.50	
		1	6.00	8.35	—	50.10	
		1	3.80	3.50	—	11.40	
						<u>713.55m³</u> = 468072.64	

Per 95.40/m²

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	(38) providing groove cutting for concrete pavement width of 5mm to 10mm & depth 10-15mm including cost of cutting rule generator including cost of blade. coolant etc including cleaning of groove & providing cost of blade & filler materials etc including cost of materials etc complete.	20	5.00	—	—	100.00	
		2.00	3.80	—	—	7.6	
		2.00	7.50	—	—	15.00	
		3.00	7.40	—	—	22.20	
		4.00	4.40	—	—	18.00	
		3.00	2.50	—	—	7.50	
		1.00	11.00	—	—	11.00	
		1.00	4.00	—	—	4.00	

[Signature]

M. A. P
Mea

Serial No. From.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Number 3
		1
		3
		1
	Rate. 121.90/Rm	
	(39) providing & fixing made out C.C. 1:2:4 respectively 400mm with C.M. 1:3 plaster formwork curing labour live charges	

Dimensions			Contents	Reference to last Measurement
Length	Breadth	Depth		
	5	6	7	8

for concrete pavement
depth 10-150 mm including
generator including cost
including cleaning of
blade & filler materials
materials etc. complete.

100	—	—	100.00	✓
80	—	—	2.6	✓
60	—	—	15.00	✓
40	—	—	22.20	✓
20	—	—	18.00	✓
00	—	—	7.00	✓
00	—	—	11.00	✓
00	—	—	4.00	✓

No. B

494935

Serial No.

Name of Work From..... To.....

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
		1	7.00	—	—	7.00	
		3	8.35	—	—	25.05	
		1	2.8	—	—	2.80	
	Rate. 121.90/Rm					<u>221.15</u> Rm	
							= Rs 26958.18
39	providing & fixing pre cast solid c.c curb stones made out c.c 1:2:4 with top & bottom width 114 & 165mm respectively 400mm high & 450mm in length finished with c.m 1:3 plastering & finishing cutting including formwork curing including cost of all materials						

labour live changes etc. complicate.

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		1x2	15.00	-	-	30.00 ✓	
		1x2	15.00	-	-	30.00 ✓	
		1x2	15.00	-	-	30.00 ✓	
		1x2	15.00	-	-	30.00 ✓	
		1x2	14.00	-	-	28.00 ✓	
		1x2	11.00	-	-	22.00 ✓	
		1x2	16.70	-	-	33.40 ✓	
		1x2	11.20	-	-	22.40 ✓	
		2x2	6.00	-	-	12.00 ✓	
		1x2	3.80	-	-	7.60 ✓	
		1x1	6.80	-	-	6.80 ✓	
		1x1	14.00	-	-	14.00 ✓	
		1x1	9.00	-	-	9.00 ✓	
		1x2	7.4	-	-	14.80 ✓	
		1x1	9.00	-	-	9.00 ✓	
						<u>299.00 m²</u>	

[Handwritten signature]

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2	Num 3
	Rate 331.78/m² (40) Applying priming coat wood bases surface thoroughly cleaning sand papering & including cost of	

ENT BOOK

Dimensions			Contents	Reference to last Measurement
h	Breadth	Depth		
	5	6	7	8
30.0	-	-	30.0 ✓	
30.0	-	-	30.0 ✓	
30.0	-	-	30.0 ✓	
30.0	-	-	30.0 ✓	
28.0	-	-	28.0 ✓	
22.0	-	-	22.0 ✓	
33.4	-	-	33.4 ✓	
22.40	-	-	22.40 ✓	
12.0	-	-	12.0 ✓	
7.60	-	-	7.60 ✓	
6.80	-	-	6.80 ✓	
14.0	-	-	14.0 ✓	
9.0	-	-	9.0 ✓	
14.80	-	-	14.80 ✓	
9.0	-	-	9.0 ✓	
299.0	-	-	299.0 ✓	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494936

Serial No. From To
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						299 ✓	
			1.e	299/0.45		= 666.44 m ²	
						= 1985	
						220447.90	
(40)	Applying priming coat over new wood surface &/or wood bases surface preparing the surface after thoroughly cleaning oil grease dirt & foreign matter sand papering & putting ready mix paint including cost of materials labour etc complete.						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		1x2	15.00	—	0.30	9.0 ✓	
		1x2	15.00	—	0.30	9.0 ✓	
		1x2	15.00	—	0.30	9.0 ✓	
		1x2	15.00	—	0.30	9.0 ✓	
		1x2	14.00	—	0.30	8.4 ✓	
		1x2	11.00	—	0.30	6.6 ✓	
		1x2	16.70	—	0.30	10.02 ✓	
		1x2	11.20	—	0.30	6.72 ✓	
		1x2	6.00	—	0.30	3.60 ✓	
		1x2	3.80	—	0.30	1.68 ✓	
		1x1	6.80	—	0.30	2.04 ✓	
		1x1	14.00	—	0.30	4.20 ✓	
		1x1	9.00	—	0.30	2.70 ✓	
		1x2	7.40	—	0.30	4.44 ✓	
		1x1	9.00	—	0.30	2.70 ✓	
						89.0 m ²	

[Handwritten signature]

Rate 89.00/m²
43.46/m²

N = 7938.46

N = 3867.94

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2
(41)	providing & apply surface t/lor w to give an even dirt dust & for of materials e Qty is as Rate 89.00/m ²
(42)	providing fab anodized alun & metal finish

BOOK

Serial No.	Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
			Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8	
	0.30	9.0						
	0.30	9.0						
	0.30	9.0						
	0.30	9.0						
	0.30	8.4						
	0.30	6.6						
	0.30	10.02						
	0.30	6.72						
	0.30	3.60						
	0.30	1.68						
	0.30	2.04						
	0.30	4.20						
	0.30	2.70						
	0.30	4.44						
	0.30	2.70						
		89.0 m ²						

M = 7938.46

M = 3867.94

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494937

Serial No. From To

Name of Work

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(41)	providing & applying painting two coats on new wood surface t/or wood based surface with enamel paint to give an even shade cleaning the surface of all dirt dust & foreign matter sand papering including cost of materials etc. complete.						
	Qty is as per lide & tan no 40 = - 89.0 m ²						
	Rate 89.00/m ²						
(42)	providing fabricating assembling & fixing in position anodized aluminium portions using aluminium sections & mat finish or glossy finish in combination of						

= 7924.56

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	plain grove single grove & double grove as per requirement for the frames of overall size 63.5m x 38.1m with thickness of 2mm having section weight - plain sections 1.01kg/m single grove thickness 1.95mm section wt 1.094kg/m double grove thickness 1.9mm section wt 1.094kg/m & bottom member 114.3mm x 44.4mm thickness bottom portions provided with 12mm thick pre laminated sheer both sides of approved colour lamination exterior grade up to 0.9m but spacing of vertical member not exceeding 0.6m etc. sections are cut to the required lengths the corners & corners grinded subdividing frames & corners riveted to the frame etc complete						

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date 1	Full description, etc, of work 2
-----------	-------------------------------------

~~43~~
 © Pat 3695.16/m
 (43) providing & finishing polyethylene pipe dia with special clips welding last of all m

Dimensions			Contents	Reference to last Measurement
Length	Breadth	Depth		
4	5	6	7	8
1. Double groove as per corners of overall size 2mm having sections 101kg/m single Section wt 1.094kg/m 1.9mm section wt 1.094kg/m 44.4mm thickness with 12mm wide pre laminated proved colour lamination in 1/2 spacing of Vlc member sections are cut to 115 inches + corners grinded moved rivets to 115 ft				

& double groove as per
 comes of overall size
 and of 2mm having
 sections 101kg/m single
 section wt 1.094kg/m
 1.9mm section wt 1.094kg/m
 44.4mm thickness
 with 12mm thick pre laminated
 proved colour lamination
 in wt spacing of 4 Vickers
 sections are cut to 115
 wires & corners grinded
 round wires to 115
 fe

494938

Serial No.

Name of Work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	4	—	2.75	22.00	
		5	2.15	—	2.75	29.56	
		2	5	—	2.75	27.50	
		6	2.15	—	2.75	35.47	
						<u>114.53</u>	
							423206.67

Rate 3695.16/m²
 43 Providing & fixing to wall ceiling & floor low density polyethylene pipes 6.00kg/H/m² working pr 20mm outside dia with special & large compression type fittings. wall clips making good to wall ceiling on floor including cost of all materials etc complete

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	~~1000~~ ④ Rate 377.36/Rm	2	35	—	—	70	
		2	40	—	—	80	
						<u>150.0 Rm</u>	
						$4 = 56604 = 20$	
	④ providing & placing on terrace polyethylene water storage tanks with manhole lid & suitable locking arrangement - making holes of suitable dia. for inlet, outlet & over flow pipes including test of materials below etc. complete						
	④ Rate 9144.36/m	2	—	—	—	200	
						$= 518288.72$	
	④ providing & fixing chlorinated poly vinyl chloride (CPVC) pipes conforming to IS having thermal						

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2
	Stability for ho plain & brass three clamp at 1.00 m fittings with one cutting channel & & 37.8 etc. com
	④ Rate 270/Rm

T BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8

—	—	70	
—	—	20	
		<u>150.0 Rm</u>	
		$4 = 56604 = 20$	
		emace polyethylene	
		manhole lid & suitable	
		izing holes of suitable	
		r flow pipes including	
		etc. complete	
—	—	20	
		$= 518288.72$	
		nated poly vinyl chloride	
		as having thermal	

M. A. R. 57 (Rule 116) Measurement Book

No. B

494939

Serial No.
Name of Work From To
Name of Contractor or nature of Agency
Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Stability for hot & cold water supply including all cpvc plain & brass threaded fittings including fixing the pipe with clamp at 1.0 mtr spacing the including jointing of pipes & fittings with one stop cpvc solvent cement & the cost of cutting chases & making good the same including testing & 3rd etc complete						
		1	36	—	—	= 36	
		2	38	—	—	76	
		1	12	—	—	12	
		3	2	—	—	6	
		2	2.5	—	—	5	

① Pak 270/Rm

135 Pak

$M = 36450 = 20$

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
(46)	providing & fixing white vitreous china clay water closets onissa pattern of size 500x440mm with integral type footrests 100mm for p trap 10 Ltr low level pvc flushing system with fittings (1/m) brackets 32mm dia flush pipe fittings & clamps overflow arrangements with spacers & 25mm mosquito proof couplings of approved design Painting of fittings & brackets etc. complete						
						2m	
						9165.76	
(47)	providing & fixing cinchosi Trap of approved make						

Serial No.			Name of Work			Name of Contractor of nature of Agency			Date of commencement of work		
Date		Full description, etc, of work					Number				
1		2					3				
		Confining to 151 spec 1:2:4 as per drawings 270/m					2m				
(48)		providing & fixing m quality 20mm wa materials labour complete					15m				
		262.44/m									

BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8

vitreous China clay
 term of size 500x440mm
 100m for p trap 10 Ltr
 term with fittings (1/m)
 pipe fittings & clamps
 5 spacers & 2mm
 approved design
 etc. complete
 = 2m
 = 916.576
 Trap of approved make

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494940

Serial No. From To
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	conforming to ISI Specification & Construction of Listam B.C. 1:2:4 as per drawings @ Rs. 270/m	2m	-	-	-	2m = 540.0	
	(48) providing & fixing in position brass bib cock of approved quality 20mm nominal bore including cost of all materials labour equipment with all lead & L.H. etc complete @ Rate 262.44/m	15m	-	-	-	15m = 3936.60	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
(49)	Earthwork Excavation for foundation of buildings water supply sanitary line & electrical conduits either in pits or in trenches 1.5m & above in width in hard soil not exceeding 1.5m in depth including dressing the bottom & side of pits & trenches stamping the excavated soil etc. complete Qty is as per measurement of 1/10 MB PS - 494992 = 33.74m ² @ Rate 200.34/m ² = 6759.47						
(50)	providing & installing at site of work 63mm pvc pipes at 6 lcs/cm ² including loss of pipes & Special & labour including lowering into						

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work

Date 1	Full description, etc, of work 2	Num 3
	trench laying three joints leave proof- all labour & lift- @ Rate 368.88/Run = 6759.47	3 1
(51)	Refilling available layers not exceed deposited layer by upto 50mm & lift material etc. complete	

BOOK

Dimensions		Contents	Reference to last Measurement
Breadth	Depth		
5	6	7	8

or foundation of buildings
 e & electrical conductors
 1.5m & above in
 exceeding 1.5m in depth
 & side of pit & trenches
 E.T. complete
 amt. of L.S. MB
 - 494992 = 33.74m²
 = 6759.47
 Site of work 632m
 long loss of pipes &
 ing lowering into

M. A. R. 57 (Rule 116) Measurement Book

No. B

494941

Serial No. From To
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	trench laying true to line level & perfect lining of approved type with joints leave proof including jointing of approved type with all labour & lift changes etc. complete	3.0	30.0	-	-	90.00	
		1.0	10.0	-	-	10.00	
						<u>100.00</u>	
	Rate 368.88/Rm						
	(51) Refilling available earth around pipe line cables in layers not exceeding 20cm in depth compacting each deposited layer by ramming after watering with least upto 50m & lift upto 1.5m including cost of all material etc. complete.						

90.00
 10.00
100.00
 = 36888.00

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Qty is as per vide item no 49 = 33.74 Rate Rs. 56/m ² = Rs 2718.09 providing & fixing in position brass gate value with CI which of approved quality down nominal bore including cost of all materials labour etc. complete						
5/2/19	Rate 2175.13/m ² 2m					2m = 4350.24	
	10% KRIDL charge					Total M 63062.07 = 00	
	1% Labour cash					63062.1 = 00	
	It is certified					63062 = 00	
	work done satisfactorily					Total 69998.96 = 00	
	The above amount is not desired any of previous B/W.					69998.96 = 00	

Serial No.
 Name of Work
 Name of Contractor of nature of Agency
 Date of commencement of work
 Date 1
 Full description, etc, of work 2
 C.F.C.
 5/2/19
 Bagher

Dimensions		Contents	Reference to last Measurement
Breadth 5	Depth 6		
		7	8

en no 49 = ~~33.74.3~~
 = 2718.09
 ition bonus gate
 approves quality
 ending cost of all
 employee
 - - 2 no
 = 4350.24
 Total M
 L charging
 ur cash
 ally Total
 es any of

6306207	= 00
630621	= 00
63062	= 00
6999890	= 00
6999890	= 00

No. B

494942

[illegible]